

 **coldshield** 2400 & 3000 SERIES  
FLEXIBLE PVC SWING DOORS

**remax**<sup>TM</sup>  
PRODUCTS



### ***Efficient DOORWAY PROTECTION***

IMAGINE A TRAFFIC DOOR THAT SWINGS QUIETLY, SAFELY AND EASILY, REGARDLESS OF THE ENVIRONMENT. IMAGINE IF THE DOOR COULD FUNCTION TIRELESSLY FOR MILLIONS OF CYCLES, WITH MINIMAL MAINTENANCE. THE COLDSHIELD 2400 SERIES, AND 3000 SERIES FLEXIBLE PVC DOORS DO JUST THAT, AND MUCH MORE.

## CONSIDER THE ADVANTAGES

- > PREVENT TEMPERATURE LOSS OR GAIN
- > REDUCE ENERGY COSTS
- > IMPROVE TRAFFIC FLOW THROUGH DOORWAYS



## WHY CHOOSE COLDSHIELD FLEXIBLE PVC DOORS?

Double action traffic doors are highly effective as a barrier against airborne nuisances or in maintaining temperature control through your doorways. Yet often, they are the most abused fixture in your facility!

You hit them to open them and expect them to close reliably every time. You want maximum movement of personnel or goods through those doors, with minimum impact on your operation and costs.

How is this possible?

Remax's range of Coldshield Flexible PVC doors are the proven solution.

Engineered to operate in almost any environment, (be it the steam and hot temperatures of a concrete pipe construction plant (*see inset below*), or the high volume traffic of a busy supermarket), the Coldshield Flexible PVC Swingdoor is designed to offer continuous operation with minimal maintenance.

European quality 7mm thick clear PVC panels, clean anodized aluminium frames, acetyl bearings, and stainless steel pivots and fasteners are some of the hallmarks of Coldshield quality.

In a world where the consumer typically selects a solution 'out of the box' and adapts it to their needs, Remax provides a refreshingly different approach, and goes to great lengths to provide a solution that is unique to 'you'. Do you prefer red with stripes to match your décor? We can do it. Do you need to protect against damage from a particular trolley that you use?

We can tailor the door exactly to your needs.

*When you need to create a lasting impression to your clients, and an effective, functional barrier through your doorway, look no further than Remax Coldshield Flexible PVC swingdoors.*

- > IMPROVE WORK AREA COMFORT
- > LIFT VISUAL APPEAL OF DOORWAYS
- > IMPROVE SAFETY THROUGH DOORWAYS

**remax**<sup>TM</sup>  
PRODUCTS

## INHERENTLY SAFER

Coldshield Flexible PVC Doors provide a level of safety and peace of mind that is not found with any other conventional double action door.

### ► FOOD SAFE

The raw materials used in the production of Coldshield PVC compounds are sanctioned for use in food applications by the FDA. In compounded form these materials have been tested and approved many times to various medical standards. The PVC supplied by Coldshield is manufactured from virgin materials without heavy metal stabilizers such as cadmium, lead or barium zinc.



### ► FINGER SAFE

Many Coldshield doors are installed in retail applications where members of the public have access. Remax has ensured that there are no pinch points within normal reach. The full length door frames have been designed to eliminate pinch points with space for an adult finger. The gap remains consistent through a full open-close cycle.



### ► FALL SAFE

#### Safety Wire

All Coldshield doors are fitted with a multi-strand stainless steel cable (700kg breaking strain) that reduces the possibility of the door falling in the event of serious impact by pallet trolley or forklift.



## CONSIDER THE APPLICATIONS

- > RETAIL & DEPARTMENT STORES
- > HOSPITALS & SURGERIES
- > COLDROOMS



## MODELS & OPTIONS

Remax offers the Coldshield Flexible PVC doors in two models, with a range of options to suit any application.

### 2400 SERIES

The Coldshield 2400 series utilizes a clean, non-welded construction process and the frames are provided in natural anodised aluminium finish.



### 3000 SERIES

The Coldshield 3000 series demonstrates its inherent strength in large doorways and heavy duty applications. This model utilizes fully welded aluminium door stiles and gussets. The frame is attractively powdercoated for protection.



- > ABATTOIRS & BUTCHERIES
- > FREEZERS
- > FOOD PRODUCTION AREAS

## STANDARD FEATURES OF COLDSHIELD 2400 SERIES AND COLDSHIELD 3000 SERIES FLEXIBLE PVC DOORS

### MECHANISM

- > Lubrication free
- > Fully adjustable alignment and tension
- > Full Stainless Steel spring optional
- > Stainless Steel pivot shafts



### LOWER PIVOT

- > Lubrication free
- > Non-corrosive
- > Acetal Bearing / Nylon Pivot
- > Impact tested and designed to shear to protect wall frames




### SERIAL NUMBER

- > For ease of traceability for replacement parts and panels



### EXTRUSION / GASKET

- > Heavy duty wall thickness
- > Full floating PVC panel retaining spine minimises PVC fatigue
- > Easy cleaning
- > Santoprene gasket ensures energy and hygiene control
- > Fully capped frame



### HOLD-OPEN (optional)

- > Galvanised striker plate
- > High quality magnet
- > Allows door to be held open at 90° for uninterrupted access



## CONSIDER THE OPPORTUNITIES

- > COLOUR MATCHED TO YOUR DÉCOR
- > HIDE STOCKROOMS FROM THE RETAIL AREA

Features such as Texaflex and opaque surface treatments offer a vast range of privacy levels to suit your individual application. Privacy finishes to retail traffic doors limit the passage of customers through to your stock or prep rooms. Hospital requirements often demand an easy to clean finish with minimal vision where patient privacy is paramount.

### COLOURED TEXAFLEX PANELS

Texaflex PVC material has permanent colour throughout the material thickness. The surface is finished with a light texture and has an easy to clean gloss finish. Scratch resistant for trolley use, Texaflex is the ultimate in privacy finishes. Colours available are Black, Blue, Red, Grey, Green and Clear.

### CLEAR TEXAFLEX

A unique finish which allows minimum vision while providing a scratch resistant, easy to clean panel while still allowing light to penetrate through the panels.

### OPAQUE

Opaquing is a finish that is applied to one side of the PVC door panel. This finish creates a partial black out that still allows small amount of vision through the door panel. Opaque finish can be applied at any height on the panel. Combine the opaque finish with Texaflex to create a unique door panel design.

### REPLACEMENT PANELS

Your existing PVC swing doors may have old, torn, discoloured and damaged and damaged panels. Remax can replace the panels in your existing swing doors regardless of the brand.

Replacement parts are also available to suit most existing spring mechanisms and pivots. Replacement PVC Door Panels are an economical option to extend the life of your existing Flexible swing doors.



- > EMBEDDED CORPORATE SIGNAGE OR GRAPHICS
- > MOUNTABLE TO ANY STRUCTURAL SURFACE

Flexible PVC doors are often referred to as crash doors and this is exactly what they are subjected to. The door is really only as robust as the mounting system and the doorway construction. The Remax Coldshield range has proven mounting methods that provide superior industry leading strength.

#### 2000 SERIES MOUNTING PLATE

The Jamb mounting plate is the original Coldshield door mounting method. The plate is structural aluminium and can mount onto almost any sound opening that has a jamb width of 75mm or greater. The bearings are pre-mounted in our factory for a simple and easy installation.



#### 4000 SERIES SUPPORT FRAME

4000 Series Support Frames are designed for openings which may not have the strength to withstand the mounting of heavy duty doors. This frame is an anodised aluminium surround that mounts internally in the door opening (can be used externally) and creates a structurally sound framework. The frame is fixed to the floor and inserts into our standard trim channel. The bearings are pre-mounted in the factory ensuring simple installation.



## FLEXIBLE SIGNAGE

Enhance your image, boost your awareness - have your message embedded into the panel of your PVC door.

Our unique process of laminated Signage will remain readable for the life of the door panel. It cannot be removed or damaged. Compare this to an unprotected sticker or a paper sign attached to the door.

We stock a selection of standard wording and pictograms for your OH&S requirements or for access restriction awareness. For an entirely custom made sign, provide your logo artwork.

Your logo, your message - it's your image.



## EMBEDDED GRAPHICS

Graphics and digital prints can be custom designed to suit your requirements, and incorporated into the PVC panel during the manufacturing process.



Developed through intensive testing in real-life factory and process area situations Remax Coldshield Swingdoors offer years of trouble-free operation in even the harshest environment. Totally waterproof, and with selflubricating bearings, the Coldshield Swingdoor design is virtually maintenance free.

All doors are manufactured to your exact requirements and are crated pre-tensioned and ready to install, complete with illustrated fitting instructions.

Alternatively our service team can arrange installation.

Remax Pty Ltd reserves the right to alter or upgrade product specifications without notice.

## CONTACT

REMAX PTY LTD

A: PO Box 152  
Nathalia VIC 3638

T: 1800 010 221

F: 03 5866 3265

E: [info@remaxproducts.com.au](mailto:info@remaxproducts.com.au)

▶ [remaxproducts.com.au](http://remaxproducts.com.au)

